

City of Greater Geelong



# **Kerb Side Numbering Standardisation**

Revised: January 2018

**TABLE OF CONTENTS**

1.0 Background	2
2.0 Specifications	2
2.1 Numerals	2
2.2 Background	3
2.3 Location	3
2.4 Stencil	3
Appendix A	4

## **KERB SIDE NUMBERING STANDARDISATION**

### **1.0 Background**


The following information clarifies new guidelines for standardising kerb side numbering throughout CoGG. At present there are numerous variations in colour, size, font and type. All new kerb side numbering will be uniform and comply with the conditions set out in this document.

\*\*\*

### **2.0 Specifications**


#### **2.1 Numerals**

All numbers are to be reflective white in colour, with letter sizes - **Series D, AS1744 – 1975**. Height to be 100mm and painted with the aid of a stencil. (*Refer to Appendix A.*)



## **2.2 Background**

The reflective white numbers are to be painted on a rectangular paint background, being 300mm x 120mm and again applied with the use of a stencil. Background colour to be Australian Standard colour N61 Black or Blue series – B21, B22, B23, B34, B51 or B61



## **2.3 Location**

The painted numbers must be on the vertical face of the kerb of the street that the number refers to only. The correct house numbers must be used for each property.

All numbering must face the direction of the correct street.

## **3.4 Stencil**

Both the numbers and background must be applied with the aid of a stencil. In all instances the stencils used are to be precisely engineered to totally preclude over-spray and under-run.

**Appendix A**

**SERIES D NUMERALS – AS1744 - 1975**


23

AS 1744—1975

AS 1744—1975

20

**Series D**



**Series D**

